

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

- Product name: CALCIUM CHLORIDE (94-97%)
- Manufacturer: Deep South Chemical, Inc.

229 Millstone Road

Broussard, LA 70518 (337) 837-9931

For Emergency : Call CHEMTREC 1-800-424-9300

Outside the U.S.A. (703)-527-3887

- Chemical Family: SALT
- Contact Person: Glenn Ray
- **Formula:** CaCl₂ (94-97%)
- MSDS Revised: January 1, 2014

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

			PEL(OSHA)		TLV(ACGIH)		
Hazardous components	CAS Number	%	TWA	STEL	TWA	STEL	IDLH
Calcium Chloride	10043-52-4	94-97	N/E	N/E	N/E	N/E	N/E

SECTION 3. HAZARDS IDENTIFICATION, INCLUDING EMERGENCY OVERVIEW_

Effects of overexposure

Inhalation: This product may cause irritation to nose, throat, and respiratory tract

Skin Contact: This product may cause irritation to the skin. Defatting of the skin can occur with frequent or long-term skin contact.

Eye Contact: Irritation to eyes.

Ingestion: There may be irritation of the mouth, throat, and digestive tract.

SECTION 4. FIRST AID MEASURES

- **Eyes:** Move victim away from exposure and into fresh air. If irritation persists, seek medical attention. For direct exposure, flush with clean water for 15 minutes. Hold eyelids apart to ensure flushing of the entire eye surface.
- **Inhalation:** Move victim away from source of exposure and into fresh air. If irritation persists, seek medical attention. If victim is not breathing, artificial respiration should be administered.
- **Skin:** Remove contaminated clothes. Cleanse affected area thoroughly with soap and water. If irritation persists, seek medical attention. Wash contaminated clothing.

Ingestion: Drink plenty water then induce vomiting. Seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Fire fighting measures

Extinguishing Media: Use powder, foam, or CO₂. Do not use water to extinguish fire unless no other means are available since water added to calcium chloride evolves much heat. Do not use water jet (may spread fire).

Decomposition/Combustion Products: Thermal oxidative decomposition of calcium chloride can produce toxic chloride fumes.

Explosive Properties:

LEL: N/D UEL: N/D



SECTION 6. ACCIDENTAL RELEASE MEASURES

- **Steps to be taken if material is released or spilled:** Use proper personal protective equipment. Stay upwind from spill. For small dry spills, carefully scoop material into suitable containers for later disposal. Vacuuming (with appropriate filter) or wet mopping may minimize dust dispersion. For small solution spills, take up with earth, sand, vermiculite, or other absorbent, noncombustible material. For large spills, dike far ahead of liquid spills for later disposal.
- **Waste disposal method:** Dispose of according to local, state and federal regulations in an approved disposal facility or recycling facility.

SECTION 7. HANDLING AND STORAGE

- Storage: Store in a well-ventilated area. Keep container tightly closed when not in use. Store in cool, dry area.
- **Handling:** Use proper personal protective equipment. Avoid contact with skin or eyes. Avoid breathing of vapors. Handle in well-ventilated workspace. When handling do not eat, drink, or smoke.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION_

Ventilation: Keep work area well ventilated.

Protective clothing: Impermeable gloves and impervious clothing as appropriate.

Eye protection: Chemical goggles where splashing may occur.

Respiratory Protection: Use appropriate respiratory protection when handling or in case of insufficient ventilation.

Special Protection: Safety shower, eye bath, and washing facilities should be available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Specific gravity @ 77°F(H₂O = 1): 2.17 Flash Point(PMCC Method)(°F): N/D Vapor density (Air = 1): N/D Solubility: 100% in water. Vapor pressure @ 75: N/D Evaporation Rate: N/D Appearance: White Granules Odor: None Boiling Point(°F) : >2912 Melting Point(°F) : 1422 Viscosity: 5.81mPa @ 68 °F in a 35.5% aqueous solution pH: Aqueous solution is 8.0-9.0 Auto-ignition: N/D

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity: Stable in normal conditions.

Incompatible Materials: Boric Oxide + calcium Oxide, and bromine trifluoride; reacts with zinc to form explosive hydrogen gas; catalyzes exothermic polymerization of vinyl ether; explodes at room temperature when added to furan-2-peroxycarbolic acid; and undergoes an exothermic (heat-producing) reaction with water.

Hazardous Decomposition Products: Thermal oxidative decomposition of calcium chloride can produce toxic chloride fumes.

Hazardous Polymerization: None described.

SECTION 11. TOXICOLOGICAL INFORMATION

Rat, oral, LD_{50} : 1000 mg/kg; toxic effects not yet reviewed Rabbit, oral, LD_{L0} : 1384 mg/kg; toxic effects not yet reviewed



SECTION 12. ECOLOGICAL INFORMATION

TLm, bluegill, 9,500 mg/l/96 hr in standard water conditions TLm, sunfish, 10,650 mg/l/96 hr

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal: If spilled, dispose according to local regulations. Recycle waste containers and clean out residues.

SECTION 14. TRANSPORT INFORMATION

DOT Transport Information: Non-Regulated

SECTION 15. REGULATORY INFORMATION

Toxic Substances Control Act (TCSA): All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

CERCLA RQ-40 CFR 302.4(a) Component

CERCLA RQ

None

SARA 302 Components-40 CFR 355 Appendix A None

Section 311/312 Hazard Class-40 CFR 370.2

Immediate (X) Delayed () Fire () Reactive (X) Sudden Release of Pressure ()

SARA 313-40 CFR 372.65

CAS Number Component % None

SECTION 16. OTHER INFORMATION NFPA RATING: Health (2) **Fire (0)** Reactivity (1)

WE CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND OUR PRODUCTS. OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH OUR PRODUCTS MAY BE USED. WE ACCEPT NO RESPONSIBILITY FOR RESULTS OBTAINED BY THE APPLICATION OF THIS INFORMATION OR THE SAFETY AND SUITABILITY OF OUR PRODUCTS, EITHER ALONE ON IN COMBINATION WITH OTHER PRODUCTS. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY AND SUITABILITY OF EACH PRODUCT OR PRODUCT COMBINATION FOR THEIR OWN PURPOSES. UNLESS OTHERWISE OBTAINED IN WRITING, WE SELL THE PRODUCTS WITHOUT WARRANTY, AND BUYERS AND USERS ASSUME ALL RESPONSIBILITY AND LIABILITY FOR LOSS OR DAMAGE ARISING FROM HANDLING AND USE OF OUR PRODUCTS, WHETHER USED ALONE OR IN COMBINATION WITH OTHER PRODUCTS.

N/D = No data; N/A = Not available; N/E = Not established