

SDS Revision Date:

06/03/2015

1. Identification

1.1. Product identifier	
Product Identity	Gold Flush SB
Alternate Names	Gold Flush SB
1.2. Relevant identified uses of the substance or mixte	ure and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	Deep South Chemical, Inc. 229 Millstone Road Broussard, LA 70518 (337) 837-9931
Emergency CHEMTREC (USA) Customer Service: Deep South Chemical, Inc.	(800) 424-9300 (337) 837-9931; Outside the U.S.A. (703) 527-3887

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Combustible Liquid;H227	Combustible Liquid.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.
Aquatic Chronic 1;H410	Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



CHEMICAL

SDS Revision Date:

06/03/2015

H227 Combustible liquid.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P313 Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

[Storage]:

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Acetic acid, C6-8-branched alkyl esters CAS Number: 0090438-79-2	25 - 50	Aquatic Chronic 2;H411	[1]
D-Limonene CAS Number: 0005989-27-5	25 - 50	Flam. Liq. 3;H226 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1]



SDS Revision Date:

06/03/2015

(2-methoxymethylethoxy)propanol CAS Number: 0034590-94-8	10 - 25	Not Classified	[1][2]
Ethoxylated Alcohols Phosphate Ester CAS Number: 0068130-47-2		Skin Corr. 1C;H314 Eye Dam. 1;H318	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of	first aid measures		
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.		
Inhalation	Move victim away from source of exposure and into fresh air. If irritation persists, seek medical attention. If victim is not breathing, artificial respiration should be administered.		
Eyes	Move victim away from exposure and into fresh air. If irritation persists, seek medical attention. For direct exposure, flush with clean water for 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface.		
Skin	Remove contaminated clothes. Cleanse affected area thoroughly with soap and water. If irritation persists, seek medical attention. Wash contaminated clothing before reuse.		
Ingestion	Drink plenty of water and seek medical attention.		
4.2. Most important	symptoms and effects, both acute and delayed		
Overview	Effects of Overexposure		
	 Inhalation: Irritation can be expected if exposure is excessive. Skin Contact: This product may cause irritation to the skin. Defatting of the skin can occur with frequent or long-term skin contact. Eye Contact: Irritation to eyes. Ingestion: There may be irritation of the mouth, throat, and digestive tract. Potential of low systemic toxicity. May cause delayed effects after exposure. 		
	See section 2 for further details.		
Eyes	Causes serious eye irritation.		
Skin	May cause an allergic skin reaction. Causes skin irritation.		

5. Fire-fighting measures



SDS Revision Date:

06/03/2015

5.1. Extinguishing media

Use powder, foam, or CO2. Do not use water jet (may spread fire).

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Use water spray to cool drums.

ERG Guide No. 128

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Use proper personal protective equipment and stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. If spill is indoors ventilate the area. Keep out of drains, sewers and waterways. Use sand or other inert material to contain and soak up spill.

7. Handling and storage

7.1. Precautions for safe handling

Use proper personal protective equipment. Avoid contact with skin or eyes. Avoid breathing of vapors. Handle in well-ventilated workspace. When handling do not eat, drink or smoke.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks or other sources of ignition.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents

Store in a well-ventilated area. Keep container tightly closed when not in use. Store in cool, dry area. Keep away from

CHEMICAL

SDS Revision Date:

06/03/2015

sources of ignition and avoid strong oxidizing agents. See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0005989-27-5	0005989-27-5 D-Limonene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0034590-94-8	(2-methoxymethylethoxy)propanol	OSHA	TWA 100 ppm (600 mg/m3) [skin]
		ACGIH	TWA: 100 ppm STEL: 150 ppm Skin
		NIOSH	TWA 100 ppm (600 mg/m3) ST 150 ppm (900 mg/m3) [skin]
	Supplier	No Established Limit	
0068130-47-2 Ethoxylated Alcohols Phosphate Ester		OSHA	No Established Limit
	ACGIH	No Established Limit	
		NIOSH	No Established Limit
		Supplier	No Established Limit
0090438-79-2	Acetic acid, C6-8-branched alkyl esters	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0005989-27-5 D-Limonene		OSHA	Select Carcinogen: No
			Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0034590-94-8	(2-methoxymethylethoxy)propanol	OSHA	Select Carcinogen: No
	NTP	Known: No; Suspected: No	
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0068130-47-2 Ethoxylated Alcohols Phosphate		OSHA	Select Carcinogen: No
	Ester		Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;



SDS Revision Date:

06/03/2015

0090438-79-2	2 Acetic acid, C6-8-branched alkyl esters	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory	Use appropriate respiratory protection when handling or in case of insufficient ventilation.
Eyes	Chemical goggles where splashing may occur.
Skin	Impermeable gloves and impervious clothing as appropriate.
Engineering Controls	Keep work area well ventilated.
Other Work Practices	Safety shower, eye bath, and washing facilities should be available. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Colorless to Pale Yellow Liquid
Odor	Organic
Odor threshold	Not determined
рН	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Approx. 180C
Flash Point	62C (PMCC)
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	2 mmHg @ 20C
Vapor Density	Not Measured
Specific Gravity	Approx. 0.86
Solubility in Water	Dispersible
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	294C
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
Oxidizing Properties	At 20C, s mm
Solubility	Oil soluble; dispersible in water



SDS Revision Date:

06/03/2015

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity Hazardous Polymerization will not occur. 10.2. Chemical stability Stable under normal circumstances. 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid No data available. 10.5. Incompatible materials Strong oxidizing agents 10.6. Hazardous decomposition products Oxides of Carbon

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Acetic acid, C6-8-branched alkyl esters - (90438-79-2)	No data available	No data available	No data available	No data available	No data available
D-Limonene - (5989-27-5)	4,400.00, Rat - Category: 5	5,000.00, Rabbit - Category: 5	No data available	No data available	No data available
(2-methoxymethylethoxy)propanol - (34590-94-8)	3,500.00, Rat - Category: 5	19,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Ethoxylated Alcohols Phosphate Ester - (68130-47-2)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).



SDS Revision Date:

06/03/2015

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Acetic acid, C6-8-branched alkyl esters - (90438-79-2)	Not Available	Not Available	Not Available
D-Limonene - (5989-27-5)	0.702, Pimephales promelas	0.577, Daphnia magna	Not Available
(2-methoxymethylethoxy)propanol - (34590-94-8)	10,000.00, Pimephales promelas	1,919.00, Daphnia magna	969.00 (72 hr), Algae
Ethoxylated Alcohols Phosphate Ester - (68130-47-2)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

SDS Revision Date:

06/03/2015



12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information				
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA	
14.1. UN number	NA1993	IMO / IMDG (Ocean Transportation)	ICAO/IATA	
14.2. UN proper shipping name	Combustible liquid, n.o.s., (Contains D'Limonene) Non Bulk: This product is non-regulated in containers of <= 119 gallons	Not Regulated	Not Regulated	
14.3. Transport hazard class(es)	DOT Hazard Class: Combustible liquid	Not Regulated	Not Regulated	
14.4. Packing group	III	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable	
14.5. Environmental	hazards			
IMDG	Marine Pollutant: Yes (D-Limonene)			
14.6. Special precautions for user				
	No further information			

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.	
Toxic Substance Control Act (TSCA) WHMIS Classification	All components of this material are either listed or exempt from listing on the TSCA Inventory. B3 D2B	
US EPA Tier II Hazards	Fire: Yes	
Sudden Release of Pressure: No		

Reactive: No



SDS Revision Date:

06/03/2015

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

(2-methoxymethylethoxy)propanol

Proposition 65 - Carcinogens (>0.0%):

1,4-dioxane

Acetaldehyde

Ethylene Oxide

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

Ethylene Oxide

Proposition 65 - Male Repro Toxins (>0.0%):

Ethylene Oxide

New Jersey RTK Substances (>1%):

(2-methoxymethylethoxy)propanol

Pennsylvania RTK Substances (>1%):

(2-methoxymethylethoxy)propanol

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

 SDS Revision Date:

06/03/2015

H411 Toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

WE CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND OUR PRODUCTS, OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH OUR PRODUCTS MAY BE USED. WE ACCEPT NO RESPONSIBILITY FOR RESULTS OBTAINED BY THE APPLICATION OF THIS INFORMATION OR THE SAFETY AND SUITABILITY OF OUR PRODUCTS, EITHER ALONE ON IN COMBINATION WITH OTHER PRODUCTS. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY AND SUITABILITY OF EACH PRODUCT OR PRODUCT COMBINATION FOR THEIR OWN PURPOSES. UNLESS OTHERWISE OBTAINED IN WRITING, WE SELL THE PRODUCTS WITHOUT WARRANTY, AND BUYERS AND USERS ASSUME ALL RESPONSIBILITY AND LIABILITY FOR LOSS OR DAMAGE ARISING FROM HANDLING AND USE OF OUR PRODUCTS, WHETHER USED ALONE OR IN COMBINATION WITH OTHER PRODUCTS.

End of Document