

SDS Revision Date: 06/03/2015

#### 1. Identification

1.1. Product identifier

Product Identity DSC Gold VIS
Alternate Names DSC Gold VIS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Deep South Chemical, Inc.

229 Millstone Road

Broussard, LA 70518 (337) 837-9931

**Emergency** 

**CHEMTREC (USA)** (800) 424-9300

Customer Service: Deep South Chemical, Inc. (337) 837-9931; Outside the U.S.A. (703) 527-3887

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Combustible Liquid; H227 Combustible Liquid.

Skin Corr. 1;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

Skin Sens. 1;H317 May cause an allergic skin reaction.

STOT RE 1:H372 Causes damage to organs through prolonged or repeated exposure. Specific Target

Organs: (central nervous system )

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Danger** 



**SDS Revision Date:** 

06/03/2015

- H227 Combustible liquid.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H372 Causes damage to organs through prolonged or repeated exposure.

#### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P313 Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

#### [Storage]:

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.



SDS Revision Date: 06/03/2015

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Solvent naphtha (petroleum), medium aliphatic CAS Number: 0064742-88-7	50 - 75	STOT RE 1;H372 Asp. Tox. 1;H304	[1]
(2-methoxymethylethoxy)propanol CAS Number: 0034590-94-8	10 - 25	Not Classified	[1][2]
d'limonene, Citrus, ext. CAS Number: 0094266-47-4	10 - 25	Flam. Liq. 3;H226 Asp. Tox. 1;H304 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1]
Ethoxylated Alcohols Phosphate Ester CAS Number: 0068130-47-2	1.0 - 10	Skin Corr. 1C;H314 Eye Dam. 1;H318	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Move victim away from source of exposure and into fresh air. If irritation persists, seek

medical attention. If victim is not breathing, artificial respiration should be administered.

**Eyes** Move victim away from exposure and into fresh air. If irritation persists, seek medical

attention. For direct exposure, flush with clean water for 15 minutes, holding eyelids apart

to ensure flushing of the entire eye surface.

Skin Remove contaminated clothes. Cleanse affected area thoroughly with soap and water. If

irritation persists, seek medical attention. Wash contaminated clothing before reuse.

**Ingestion** Drink plenty of water and seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### Overview Effects of Overexposure

**Inhalation:** This product may cause irritation to nose, throat, and respiratory tract.

Skin Contact: This product may cause irritation to the skin. Defatting of the skin can occur

with frequent or long-term skin contact.

Eye Contact: Irritation to eyes.

**Ingestion:** There may be irritation of the mouth, throat, and digestive tract.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.



**SDS Revision Date:** 

06/03/2015

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Eyes** Causes serious eye damage.

**Skin** May cause an allergic skin reaction. Causes severe skin burns and eye damage.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use powder, foam, or CO2. Do not use water jet (may spread fire).

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Use water spray to cool drums.

ERG Guide No. 128

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Use proper personal protective equipment and stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. If spill is indoors ventilate the area. Keep out of drains, sewers and waterways. Use sand or other inert material to contain and soak up spill.



**SDS Revision Date:** 

06/03/2015

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Use proper personal protective equipment. Avoid contact with skin or eyes. Avoid breathing of vapors. Handle in well-ventilated workspace. When handling, do not eat, drink or smoke.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks or other sources of ignition.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents

Store in a well-ventilated area. Keep container tightly closed when not in use. Store in cool, dry area. Keep away from sources of ignition and avoid strong oxidizing agents.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0034590-94-8 (2-methoxymethylethoxy)propanol	(2-methoxymethylethoxy)propanol	OSHA	TWA 100 ppm (600 mg/m3) [skin]
		ACGIH	TWA: 100 ppm STEL: 150 ppm Skin
		NIOSH	TWA 100 ppm (600 mg/m3) ST 150 ppm (900 mg/m3) [skin]
		Supplier	No Established Limit
0064742-88-7 Solvent naphtha (petroleum), medium aliphatic	OSHA	No Established Limit	
	aliphatic	ACGIH	No Established Limit
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
0068130-47-2 Ethoxylated Alcohols Phosphate Ester	Ethoxylated Alcohols Phosphate Ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	
0094266-47-4 d'limor	d'limonene, Citrus, ext.	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit



SDS Revision Date:

06/03/2015

	Supplier	No Established Limit
--	----------	----------------------

#### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0034590-94-8	034590-94-8 (2-methoxymethylethoxy)propanol		Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0064742-88-7 Solvent naphtha (petroleum), medium aliphatic	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0068130-47-2 Ethoxylated Alcohols Phosphate Ester	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0094266-47-4 d'limonene, Citrus, ext.		OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

#### 8.2. Exposure controls

**Respiratory** Use appropriate respiratory protection when handling or in case of insufficient ventilation.

**Eyes** Chemical goggles where splashing may occur.

**Skin** Impermeable gloves and impervious clothing as appropriate.

**Engineering Controls** Keep work area well ventilated.

**Other Work Practices** Safety shower, eye bath, and washing facilities should be available. Use good personal

hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly

remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

AppearanceTan LiquidOdorAromatic

Odor threshold

pH

Not Measured

Melting point / freezing point

Initial boiling point and boiling range

Not Measured

Approx. 309F

Flash Point 144F (PMCC Method)

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable



**SDS Revision Date:** 

06/03/2015

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured **Upper Explosive Limit:** Not Measured

Approx. 2 mmHg @75F

Not Measured

0.86-0.88 @75F (H2O=1)

Negligible

Not Measured

458F

Not Measured Not Measured

Oil soluble; negligible in water

90

Vapor pressure (Pa)

**Vapor Density Specific Gravity** Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

**Auto-ignition temperature Decomposition temperature** 

Viscosity (cSt) Solubility

% Volatile (by volume) 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Excessive heat and open flame.

#### 10.5. Incompatible materials

Strong oxidizing agents

#### 10.6. Hazardous decomposition products

Oxides of Carbon

### 11. Toxicological information

#### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.



**SDS Revision Date:** 

06/03/2015

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Solvent naphtha (petroleum), medium aliphatic - (64742-88-7)	6,000.00, Rat - Category: NA	3,000.00, Rabbit - Category: 5	No data available	No data available	No data available
(2-methoxymethylethoxy)propanol - (34590-94-8)	3,500.00, Rat - Category: 5	19,000.00, Rabbit - Category: NA	No data available	No data available	No data available
d'limonene, Citrus, ext (94266-47-4)	No data available	No data available	No data available	No data available	No data available
Ethoxylated Alcohols Phosphate Ester - (68130-47-2)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure	1	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard		Not Applicable



**SDS Revision Date:** 

06/03/2015

### 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Solvent naphtha (petroleum), medium aliphatic - (64742-88-7)	800.00, Pimephales promelas	100.00, Daphnia magna	450.00 (96 hr), Selenastrum capricornutum
(2-methoxymethylethoxy)propanol - (34590-94-8)	10,000.00, Pimephales promelas	1,919.00, Daphnia magna	969.00 (72 hr), Algae
d'limonene, Citrus, ext (94266-47-4)	Not Available	Not Available	Not Available
Ethoxylated Alcohols Phosphate Ester - (68130-47-2)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



**SDS Revision Date:** 06/03/2015

Not Regulated

Sub Class: Not

Applicable

**IMDG:** Not Applicable

Not Regulated

Not Regulated

Air Class: Not

Applicable

### 14. Transport information

**DOT (Domestic Surface** IMO / IMDG (Ocean ICAO/IATA Transportation)

**Transportation**) 14.1. UN number NA1993 Not Regulated

14.2. UN proper shipping Combustible liquid, n.o.s., (Contains

D'Limonene) name

14.3. Transport hazard **DOT Hazard Class:** Combustible liquid

class(es)

14.4. Packing group Ш Not Applicable Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

### 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

All components of this material are either listed or exempt from listing on the TSCA **Toxic Substance Control Act (TSCA)** 

Inventory.

**WHMIS Classification** B3 D2A E

**US EPA Tier II Hazards** Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

(2-methoxymethylethoxy)propanol

#### Proposition 65 - Carcinogens (>0.0%):

Quartz

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



**SDS Revision Date:** 

06/03/2015

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

(2-methoxymethylethoxy)propanol

#### Pennsylvania RTK Substances (>1%):

(2-methoxymethylethoxy)propanol

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

WE CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND OUR PRODUCTS, OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH OUR PRODUCTS MAY BE USED. WE ACCEPT NO RESPONSIBILITY FOR RESULTS OBTAINED BY THE APPLICATION OF THIS INFORMATION OR THE SAFETY AND SUITABILITY OF OUR PRODUCTS, EITHER ALONE ON IN COMBINATION WITH OTHER PRODUCTS. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY AND SUITABILITY OF EACH PRODUCT OR PRODUCT COMBINATION FOR THEIR OWN PURPOSES. UNLESS OTHERWISE OBTAINED IN WRITING, WE SELL THE PRODUCTS WITHOUT WARRANTY, AND BUYERS AND USERS ASSUME ALL RESPONSIBILITY AND LIABILITY FOR LOSS OR DAMAGE ARISING FROM HANDLING AND USE OF OUR PRODUCTS, WHETHER USED ALONE OR IN COMBINATION WITH OTHER PRODUCTS.

**End of Document**