

Date: 5/21/2015 Version: 1.

Klucel[™] H OIL Hydroxypropylcellulose

™ Trademark, Ashland or its subsidiaries, registered

in various countries419780

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Deep South Chemical, Inc. 229 Millstone Rd. Broussard, La. 70518	Regulatory Information Number Telephone Chemtrec	1-800-737-3546 337-837-9931 1-800-424-9300
Product name	Klucel™ H OIL Hydroxypropylcellulos	Se
·	[™] Trademark, Ashland or its subsidia	aries, registered in various countries
Product code	419780	, ,

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: solid, granules, off-white

WARNING! MAY FORM COMBUSTIBLE DUST-AIR MIXTURES.

Potential Health Effects

Exposure routes

Inhalation, Skin contact, Eye Contact, Ingestion

Eye contact

Dust can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin contact

Unlikely to cause skin irritation or injury.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

This material is a dust or may produce dust. Prolonged or repeated breathing of this material may result in chronic bronchitis (inflammation of the airways of the lungs). Symptoms include coughing and shortness of breath. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

No data

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, irritation (nose, throat, airways)

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

Target Organs

No data

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA). This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

Based on the available information, risk to the fetus from maternal exposure to this material cannot be assessed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

Hazardous Components	CAS-No. / Trade Secret No.	Concentration
HYDROXYPROPYL CELLULOSE	9004-64-2	>=90-<=100%

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available. Treatment: No hazards which require special first aid measures.

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide

Precautions for fire-fighting

Organic dusts at sufficient concentration can form explosive mixtures in air.Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Avoid breathing dust. Material can create slippery conditions.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Pick up and arrange disposal without creating dust.

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid dust formation. This material is slippery when wet. The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres. Ensure all equipment is electrically grounded and bonded before beginning transfer operations. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards. For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard

Page 3 / 10

Date: 5/21/2015 Version: 1

Klucel[™] H OIL Hydroxypropylcellulose

[™] Trademark, Ashland or its subsidiaries, registered in various countries419780

for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Storage

Store in a cool, dry, ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Avoid breathing dust.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. For exposures to dust, utilize the exposure limits for Particulates (insoluble) Not Otherwise Classified (PNOC). ACGIH TWA - 10 mg/m3 inhalable fraction, 3 mg/m3 respirable fraction. OSHA PEL - 15 mg/m3 total dust, 5 mg/m3 respirable fraction.

Eye protection

Wear safety glasses or chemical splash goggles when dust exposure is possible.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
Form	granules, powder

Page 4 / 10

Date: 5/21/2015

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

Colour	off-white
Odour	odourless
Melting point/range	212 - 302 °F / 100 - 150 °C
	Softening point 212 - 302 °F / 100 - 150 °C
рН	5.0 - 8.5 @ 2 % (as aqueous solution)
Flash point	
	not applicable
Ignition temperature	420.00 °C
Density	> 1 g/cm3
Bulk density	500 kg/m3
Water solubility	Insoluble > 45 °C
-	

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Keep away from heat, flame, sparks and other ignition sources.

Incompatible products

None known.

Hazardous decomposition products

carbon dioxide and carbon monoxide

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Eye Contact Ingestion
<u>Product</u>		
Acute oral toxicity	:	No data available
Acute inhalation toxicity	:	No data available

Version:

Date: 5/21/2015

Version: 1

SAFETY DATA SHEET

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

Acute dermal toxicity	:	No data available
Skin corrosion/irritation	:	No data available
Serious eye damage/eye irritation	:	No data available
Respiratory or skin sensitisation	:	No data available

Components:

HYDROXYPROPYL CELLULOSE:

Acute oral toxicity	:	LD 50 Rat: > 10 g/kg
---------------------	---	----------------------

12. ECOLOGICAL INFORMATION		
Ecotoxicity <u>Product:</u>		
No data available		
Components:		
HYDROXYPROPYL CELLULOSE:		
Toxicity to fish	:	(Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Method: static test
Persistence and degradability		
Product:		
Biodegradability	:	Slowly biodegradable.
Components:		
No data available		
Bioaccumulative potential		
Product:		
No data available		
Components:		
Page 6 / 10		

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

No data available

Mobility in soil

Product:

No data available

Components:

No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
U.S. DOT - ROAD				
Not dangerous goods			·	·
U.S. DOT - RAIL				
Not dangerous goods		·		·
U.S. DOT - INLAND WATERWAYS				
Not dangerous goods			·	· :
TRANSPORT CANADA - ROAD				
Not dangerous goods			·	·
TRANSPORT CANADA - RAIL				
Not dangerous goods				·
TRANSPORT CANADA - INLAND WATERWAY	(S			
Not dangerous goods			·	
INTERNATIONAL MARITIME DANGEROUS G	OODS			
Not dangerous goods				·

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Page 7 / 10

Klucel™ H OIL Hydroxypropylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries419780	Date: 5/21/201 Version: 1	15
Not dangerous goods		:
INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER		
Not dangerous goods		
MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARD Not dangerous goods *ORM = ORM-D, CBL = COMBUSTIBLE LIQUID	OUS MATERIALS AND WASTES	:

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA Hazard Classification

SARA 311/312 Classification

Fire Hazard

SARA 313 Component(s)

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

New Jersey RTK Label Information

HYDROXYPROPYL CELLULOSE	9004-64-2	
Pennsylvania RTK Label Information		

HYDROXYPROPYL CELLULOSE 9004-64-2	
	2

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic	y (positive listing)
Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear	y (positive listing)
Waste Control Act	
China. Inventory of Existing Chemical Substances	y (positive listing)

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

	HMIS	NFPA
Health	1	1
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard		

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by DEEP SOUTH CHEMICAL, INC. (1-800-737-3546).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

Page 9 / 10

Klucel[™] H OIL Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries419780

DOT : Department of Transportation FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act HMIRC : Hazardous Materials Information Review Commission HMIS : Hazardous Materials Identification System NFPA : National Fire Protection Association NIOSH : National Institute for Occupational Safety and Health OSHA : Occupational Safety and Health Administration PMRA : Health Canada Pest Management Regulatory Agency RTK : Right to Know WHMIS : Workplace Hazardous Materials Information System