SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 2012



Revision date: 08-July-2015 **Supercedes:** New MSDS

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product name: Sodium Dichromate Dihydrate

Other means of identification

Synonyms Sodium Bichromate

Recommended use of the chemical and restrictions on use

Product Use Description: Surface treatment Intermediate

Details of the supplier of the safety data sheet

Company/Undertaking Identification Deep South Chemical, Inc.

229 Millstone Rd. Broussard. LA 70518

USA

Tel: +1 (337) 837-9931

Emergency Telephone Number For hazardous materials incidents only call

CHEMTREC Emergency Response Number: 1-800-424-9300

www.deep-south-chemical.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1A
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Oxidizing solids	Category 2

Label Elements

EMERGENCY OVERVIEW	
	EMERGENCY OVERVIEW

Hazard Statements

Toxic if swallowed

Harmful in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction

Fatal if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause genetic defects

May cause cancer

May damage fertility or the unborn child

Very toxic to aquatic life with long lasting effects

Causes damage to organs through prolonged or repeated exposure

May intensify fire; oxidizer



Appearance: Crystalline Physical state: Solid Odor:Odourless

Precautionary Statements - Prevention

Obtain special instructions before use

Do not breathe dust/fume/gas/mist/vapors/spray

Do not get in eyes, on skin, or on clothing

Do not eat, drink or smoke when using this product

Wash hands thoroughly after handling

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Keep awayfrom flames/or surfaces.—No smoking

Keep/Store away from clothing/ incompatible /combustible materials

Avoid release to the environment

Precautionary Statements - Response

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower, Take off contaminated clothing and wash before reuse

Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing, Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician, Rinse mouth

Do NOT induce vomiting

In case of fire: Use Water spray, fog or regular foam for extinction

Carbon dioxide (CO2)

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Page 2/10

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Components	CAS-No	Weight %
Sodium Dichromate, Dihydrate	7789-12-0	100 %

4. FIRST AID MEASURES

FIRST AID MEASURES

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If breathing has stopped, apply artificial respiration. Call a

physician immediately.

Skin contact: Wash off immediately with soap and plenty of water. Call a physician immediately.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

Ingestion Call a physician or Poison Control Center immediately. Do not induce vomiting without

medical advice. If victim is fully conscious, give a cupful of water. If swallowed, seek medical advice immediately and show this SDS or label. Never give anything by mouth to

an unconscious person.

Protection of first-aiders: Avoid contact with skin and eyes.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects: Risk of serious damage to eyes. Difficulty in breathing. Dizziness. Drowsiness, Coughing

and/ or wheezing. Abdominal pain, nausea, vomiting, diarrhea. In extreme case it may cause serious damage to health. Circulatory collapse. Weakness. Increased pulse rate. Coma. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use Water spray, fog or regular foam for extinction

Carbon dioxide (CO2)

Extinguishing media which must not be used for safety reasons

None

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

May intensify fire; oxidizer

Unusual Fire and Explosion Hazards:

Emits toxic fumes under fire conditions

Hazardous combustion products:

Chromium oxides

Explosion data

Explosive properties:

Not explosive

Reactivity Hazard:

May intensify fire; oxidizer. May react with oxidizable materials

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use

personal protective equipment.

Other Information: See Section 12 for additional information.

Environmental precautions

Environmental precautions:Do not allow material to contaminate soil or ground water system. Prevent further leakage

or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Do not allow any environmental contamination. Local authorities should be advised if significant

spillages cannot be contained.

Methods and material for containment and cleaning up

Clean-up methods: Do not create a powder cloud by using a brush or compressed air. Take up with a HEPA

vacuum or mechanically and collect in suitable container for disposal. Do not use

combustible materials for containment or clean-up. Clean contaminated surface thoroughly. Prevent product from entering drains. Local authorities should be advised if significant

spillages cannot be contained.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Do not breathe vapours/dust. Avoid contact with skin, eyes and clothing. Wash hands

thoroughly after handling. Wear personal protective equipment.

Conditions for safe storage, including any incompatibilities

Storage conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Keep product and empty container away from

incompatible materials.

Additional Storage: Keep away from heat and sources of ignition

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	AIHA TLV	OSHA TWA	IDLH:
Sodium Dichromate, Dihydrate 7789-12-0	TWA: 0.05 mg/m ³			

Components	OSHA PEL (8h TWA)	OSHA Action Level (8h TWA)	OES - Short-term STEL
Sodium Dichromate, Dihydrate	0.005 mg/m ³ Cr(VI)	0.0025 mg/m ³ Cr(VI)	

Appropriate engineering controls

Engineering Measures Maintain adequate engineering controls and/or ventilation to keep hazardous ingredients

below their statutory limits. Use an approved respirator whenever exposure limits are exceeded It maybe necessary, dependent on the users assessment of process employed to undertake a program of monitoring to demonstrate that statutory exposure limits are not

exceeded

Individual protection measures, such as personal protective equipment

Eye protection Wear chemical goggles and full face shield appropriate for risk of exposure. Tightly fitting

safety goggles.

Skin and body protectionFootwear and protective clothing should be selected according to the risk of exposure

Respiratory protection: When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hand protection Use chemical resistant gloves

Hygiene measures Handle in accordance with good industrial hygiene and safety practice Ensure that eyewash

stations and safety showers are close to the workstation location Contaminated work clothing should not be allowed out of the workplace Wash hands and face before breaks

and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:SolidAppearance:CrystallineOdor:OdourlessColor:Orange

Odor Threshold No data available

Property Values Remarks — Method

4 (1% solution) Hq 674.6 °F / 357°C Melting point/range: Freezing point: No data available **Boiling Point/Range** Not applicable **Flash Point** Not applicable **Evaporation rate** No data available No data available **Explosion limits:** Vapor pressure No data available Vapor density No data available Density: No data available

Water soluble (73% @ 20 °C)

Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available

Autoignition temperatureNo data availableDecomposition temperature752°F / 400°CViscosity:No data available

Explosive properties: Not explosive

Oxidizing Properties May intensify fire; oxidizer

Other Information

Molecular weight: 298

Percent Volatile: Not applicable Bulk Density 70 - 80 lb/ft3

10. STABILITY AND REACTIVITY

Reactivity

Oxidizer. Contact with other material may cause fire

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

See reactivity above

Conditions to Avoid

Heat, flames and sparks. Exposure to moisture

Incompatible Materials:

Reducing agents, Organic materials, Readily oxidizible materials

Hazardous Decomposition Products

No decomposition if stored normally; At high temperatures: Chromium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: Fatal if inhaled. May cause irritation of respiratory tract.

Eye contact: Causes burns. Risk of serious damage to eyes.

Skin contact: Harmful in contact with skin. Causes severe burns.

Ingestion Toxic if swallowed. May cause burns to mounth throat and stomach.

Product Information The data listed, below, is based on this or a similar product:

Component Information

Components	LD50/Oral	LD50/Dermal	LC50/inhalation
Sodium Dichromate, Dihydrate 7789-12-0	50 mg/kg (rat)	1000 mg/kg (rabbit)	0.124 mg/L 4hrs (rat)

Information on Toxicological Effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes severe burns. Risk of serious damage to eyes.

Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

sensitization by skin contact

Mutagenic effects May cause genetic defects.

Carcinogenic effects: The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	ACGIH	IARC	NTP	OSHA
Sodium Dichromate, Dihydrate 7789-12-0		Group 1 - Carcinogen to human	Known Carcinogen	Cancer hazard

Reproductive Toxicity: May impair fertility May cause harm to the unborn child

Developmental Toxicity May cause harm to the unborn child.

Chronic Toxicity

Chronic toxicity: May cause damage to organs through prolonged or repeated exposure

Target Organ Effects: Eyes, Skin, Liver, Respiratory system, Central nervous system (CNS), Reproductive

system.

Other Adverse Effects: No information available.

12. ECOLOGICAL INFORMATION

Product Information See below

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Components	LC50	EC50	Bioaccumulation Concentration Factor	No Observable Effect Concentration/96hr/ 48hr/24hr (NOEC)
Sodium Dichromate, Dihydrate	33.2 mg/L (Pimephales promelas; 96hrs)	0.035 mg/L (Daphnia magna; 48hrs)		

Persistence and degradability:

Hexavalent chromium may react with particulate matter or pollutants to form Cr (III). In general, Chromium is removed from the atmosphere through wet and dry deposition.

Bioaccumulative potential:

Does not bioaccumulate

Mobility:

No data available

General Note:

Do not allow product to reach ground water, water course or sewage system.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues / unused products

Do not contaminate ponds, waterways or ditches with chemical or used container Dispose

of in accordance with Local and National regulations

Contaminated packaging Should be disposed of in accordance with Local and National regulations

RCRA Hazardous Waste:

RCRA: Characteristic Waste - D007 (Chromium)

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):

UN-No: 3288

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (SODIUM DICHROMATE)

Hazard Class: 6.1
Packaging group: III
Reportable Quantity (RQ) 10
Marine pollutant: YES

International Air Transportation (ICAO/IATA):

UN-No: 3288

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (SODIUM DICHROMATE)

Hazard Class: 6.1 Packing group: III

International Maritime Organization (IMO/IMDG):

UN-No 3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S. (SODIUM DICHROMATE)

Hazard Class 6.1
Packing Group III
EmS: F-A, S-Q
IMDG - Marine Pollutants: Yes

Surface Shipments in Europe (ADR/RID):

UN-No: 3288

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (SODIUM DICHROMATE)

Packing group: III
Hazard Labels: 6.1
Environmental hazard mark: YES

15. REGULATORY INFORMATION

International Inventories

USA (TSCA): In Compliance EU (EINECS): In Compliance CANADA (DSL) In Compliance JAPAN (ENCS): In Compliance **PHILIPPINES (PICCS):** In Compliance KOREA (KECL): In Compliance China (IECSC) In Compliance **AUSTRALIA (AICS):** In Compliance **NEW ZEALAND (NZIoC):** In Compliance TAIWAN (NECSI): In Compliance

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals **NECSI** - Taiwan Inventory of Chemicals

Federal Regulations

OSHA 29 CFR 1910.1026 Hexavalent Chromium

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Components	EPCRA (SARA Title III) Section 313 Toxic Chemical
Sodium Dichromate, Dihydrate 7789-12-0	Chromium compound; N090

SARA 311/312 Hazard Categories

Reactive Hazard Acute Health Hazard Chronic Health Hazard

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Components	U.S CWA (Clean Water Act) - Reportable Quantities of Designated Hazardous Substances	Toxic Pollutants	Priority Pollutants	Hazardous Substances
Sodium Dichromate, Dihydrate 7789-12-0	Chromium compounds - 10 lbs	Present (Chrome compounds)	Present (Chrome compounds)	Present (Chrome compounds)

Clean Air Act:

Components	Hazardous Air Polutants
Sodium Dichromate, Dihydrate	Present (Chrome compounds)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Components	CERCLA/SARA - Hazardous Substances and	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Dichromate, Dihydrate 7789-12-0	Chrome compounds - 10 lbs		

TSCA Section 12(b) Export Notification

Components	TSCA Section 12(b) Export Notification	
Sodium Dichromate, Dihydrate (CAS # 7789-12-0)	Section 6 0.1% only those that can be used to treat water cooling systems	

State Regulations (RTK)

California Proposition 65

This Product contains the following substance (s) known to the state of California to cause cancer and/or developmental effects. Chromium (hexavalent compounds)

Canada

WHMIS hazard class: C Oxidizing materials

Corrosive

D1A Very toxic materials D2A Very toxic materials D2B Toxic materials

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. OTHER INFORMATION

HMIS: ®

Health: 3*
Flammability: 0
Physical Hazard: 1

Previous Revision Date: Not applicable

Key/Legend: N/A: Not applicable

N/D: Not determined ppm: Parts per million

X: Listed

Prepared by Product Stewardship

A component has been added to the formulation. SEE SECTION 2.

The information provided in this safety data sheet is based on data which is considered to be accurate for its date of publication to the best of

Deep South Chemical Inc.'s knowledge.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific product designated and may not be valid for such product when used in combination with any other material or in any process, unless specified in this SDS. Deep South Chemical, Inc. specifically disclaims any liability for any loss, injury or damage which may result from use or misuse of this product.

All chemicals should be handled only by competent personnel, within a controlled environment. It is the buyer's/user's responsibility to ensure that his activities comply with all applicable federal, state, provincial and local laws, and to determine the conditions necessary for the safe use of this product. Deep South Chemical, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product.

End of Safety Data Sheet

Revision Number: 1	Page 10 / 10	