SDS Revision Date: 03/13/2015



#### 1. Identification

1.1. Product identifier

Product Identity Well Wash I

Alternate Names A mixture of flocculants and surfactant in water

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Deep South Chemical, Inc.

229 Millstone Road

Broussard, LA 70518 (337) 837-9931

**Emergency** 

**CHEMTREC (USA)** (800) 424-9300 Outside the U.S.A. (703) 527-3887

Customer Service: Deep South Chemical, Inc. (337) 837-9931;

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H303 May be harmful if swallowed. (Not adopted by US OSHA)

Acute Tox. 5;H313 May be harmful in contact with skin. (Not adopted by US OSHA)

Acute Tox. 4;H332 Harmful if inhaled.

Skin Irrit. 3;H316 Causes mild skin irritation. (Not adopted by US OSHA)

STOT SE 2;H371 May cause damage to organs. Specific Target Organs: (Not Available)

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Warning

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

**SDS Revision Date:** 

03/13/2015



H316 Causes mild skin irritation.

H332 Harmful if inhaled.

H371 May cause damage to organs.

#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

#### [Response]:

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P309+311 IF exposed or you feel unwell Call a POISON CENTER or doctor / physician.

P332+313 If skin irritation occurs: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### [Storage]:

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Methanol CAS Number: 0000067-56-1	1.0 - 10	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370	[1][2]
Isopropyl Alcohol CAS Number: 0000067-63-0	1.0 - 10	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

**SDS Revision Date:** 

03/13/2015



#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion Drink plenty of water. Seek medical attention.4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation: This product may cause irritation to nose, throat, and respiratory tract if

exposure is excessive.

Skin Contact: This product may cause irritation to the skin. Defatting of the skin can occur

with frequent or long-term skin contact.

Eye Contact: Irritation to eyes.

Ingestion: There may be irritation of the mouth, throat, and digestive tract.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular

weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation

and soreness with possible reversible damage. See section 2 for further details.

**Inhalation** Harmful if inhaled.

**Skin** May be harmful in contact with skin. (Not adopted by US OSHA) Causes mild skin irritation.

(Not adopted by US OSHA)

Ingestion May be harmful if swallowed. (Not adopted by US OSHA)

### 5. Fire-fighting measures

**SDS Revision Date:** 

03/13/2015



#### 5.1. Extinguishing media

Use powder, foam or CO2. Do not use water jet (may spread fire).

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Smoke, carbon oxides.

Avoid breathing dust / fume / gas / mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Can form flammable mixtures with air and flash at 7.5%.

ERG Guide No. ---

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Steps to be taken if material is released or spilled: Use proper personal protective equipment. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. If spill is indoors, ventilate area. Keep out of drains, sewers or waterways. Use sand or other inert material to contain and soak up spill.

Waste disposal method: Dispose of according to local, state and federal regulations in an approved disposal facility or recycling facility.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Use proper personal protective equipment. Avoid contact with skin or eyes. Avoid breathing of vapors. Handle in well-ventilated workspace. When handling do not eat, drink, or smoke. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks or other sources of ignition.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong oxidizing agents

Store in a well-ventilated area. Keep container tightly closed when not in use. Store in cool, dry area. Keep away from sources of ignition. Avoid strong oxidizing agents.

**SDS Revision Date:** 

03/13/2015



See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000067-56-1 Methanol		OSHA	TWA 200 ppm (260 mg/m3)
	ACGIH	TWA: 200 ppm STEL: 250 ppm Skin	
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]
	Supplier	No Established Limit	
0000067-63-0 Isopropyl Alcohol		OSHA	TWA 400 ppm (980 mg/m3)STEL 500 ppm
		ACGIH	TWA: 200 ppm STEL: 400 ppm Revised 2003,
	NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)	
	Supplier	No Established Limit	

#### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000067-56-1	Methanol	OSHA	Select Carcinogen: No		
		NTP Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0000067-63-0	Isopropyl Alcohol	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		

#### 8.2. Exposure controls

**Respiratory** Use appropriate respiratory protection when handling or in case of insufficient ventilation.

**Eyes** Chemical goggles where splashing is likely.

**Skin** Impermeable gloves and impervious clothing as appropriate.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

SDS Revision Date: 03/13/2015



See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

**Appearance** 

Odor

**Odor threshold** 

pН

Melting point / freezing point

Initial boiling point and boiling range

**Flash Point** 

Evaporation rate (Ether = 1) Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapor pressure (Pa)

**Vapor Density** 

**Specific Gravity** 

**Solubility in Water** 

- 44

Partition coefficient n-octanol/water (Log Kow)

**Auto-ignition temperature** 

**Decomposition temperature** 

Viscosity (cSt)

% Volatile (by volume)

9.2. Other information

No other relevant information.

Clear Liquid

Slight Sweet

Not Measured

7.0 - 8.0

Not Measured

260 - 266 F

> 200 F (PMCC Method)

Not Measured

Not Applicable

Lower Explosive Limit: Not Measured

**Upper Explosive Limit:** Not Measured

0.05 mmHg (at 75 F)

Not Measured

0.91 - 0.92 at 75 F (H2O = 1)

Complete

Not Measured

548 F

Not Measured

Not Measured

7.5 %

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

**SDS Revision Date:** 

03/13/2015



No data available. **10.5. Incompatible materials**Strong oxidizing agents

#### 10.6. Hazardous decomposition products

Smoke, carbon oxides.

### 11. Toxicological information

#### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Methanol - (67-56-1)	143.00, Human - Category: 3	No data available	No data available	No data available	64,000.00, Rat - Category: NA
Isopropyl Alcohol - (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat - Category: NA	72.60, Rat - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)	5	May be harmful in contact with skin. (Not adopted by US OSHA)
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	3	Causes mild skin irritation. (Not adopted by US OSHA)
Serious eye damage/irritation		Not Applicable

**SDS Revision Date:** 

03/13/2015



Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

### 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Methanol - (67-56-1)	100.00, Pimephales promelas	10,000.00, Daphnia magna	16.912 (96 hr), Ulva pertusa
Isopropyl Alcohol - (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus

#### 12.2. Persistence and degradability

All components are biodegradable

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### 13. Disposal considerations

**SDS Revision Date:** 03/13/2015



#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information

**DOT (Domestic Surface** 

Transportation)

Not Applicable

Not Regulated

14.2. UN proper shipping name

14.3. Transport hazard

class(es)

14.4. Packing group

14.1. UN number

**DOT Hazard Class: Not** 

Applicable

Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean ICAO/IATA **Transportation**)

Not Regulated Not Regulated Not Regulated Not Regulated

**IMDG:** Not Applicable

Sub Class: Not Applicable

Not Applicable Not Applicable

Air Class: Not Applicable

### 15. Regulatory information

The regulatory data in Section 15 is not intended to be all-inclusive, only selected **Regulatory Overview** 

regulations are represented.

**Toxic Substance** Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Fire: No

Inventory.

WHMIS Classification

Not Regulated

**US EPA Tier II Hazards** 

Sudden Release of Pressure: No Reactive: No

> Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

(5,000.00)Methanol

**EPCRA 302 Extremely Hazardous:** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313 Toxic Chemicals:** 

**SDS Revision Date:** 

03/13/2015



Isopropyl Alcohol

Methanol

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Developmental Toxins (>0.0%):

Methanol

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

Isopropyl Alcohol

Methanol

#### Pennsylvania RTK Substances (>1%):

Isopropyl Alcohol

Methanol

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness and dizziness.

H370 Causes damage to organs.

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

WE CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND OUR PRODUCTS, OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH OUR PRODUCTS MAY BE USED. WE ACCEPT NO RESPONSIBILITY FOR RESULTS OBTAINED BY THE APPLICATION OF THIS INFORMATION OR

**SDS Revision Date:** 

03/13/2015



THE SAFETY AND SUITABILITY OF OUR PRODUCTS, EITHER ALONE ON IN COMBINATION WITH OTHER PRODUCTS. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY AND SUITABILITY OF EACH PRODUCT OR PRODUCT COMBINATION FOR THEIR OWN PURPOSES. UNLESS OTHERWISE OBTAINED IN WRITING, WE SELL THE PRODUCTS WITHOUT WARRANTY, AND BUYERS AND USERS ASSUME ALL RESPONSIBILITY AND LIABILITY FOR LOSS OR DAMAGE ARISING FROM HANDLING AND USE OF OUR PRODUCTS, WHETHER USED ALONE OR IN COMBINATION WITH OTHER PRODUCTS.

**End of Document**